

L Number	Hits	Search Text	DB	Time stamp
-	30	cross adj certificate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 08:05
-	225	certificate adj authority and client same certificate same stor\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 08:05
-	51	(certificate adj authority and client same certificate same stor\$4) and @ad<20000619	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 08:20
-	7	@ad<20000619 and access with control and restrict with unrestricted same (program code applet application agent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 08:26
-	14543	@ad<20000619 and access with control and security	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:56
-	399	@ad<20000619 and content with management and download\$2 with (application code applet software agent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 08:39
-	102	((@ad<20000619 and content with management and download\$2 with (application code applet software agent)) and certificate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 08:39
-	53	((@ad<20000619 and content with management and download\$2 with (application code applet software agent)) and certificate) and user with list with (control restrict)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 08:40
-	92	((@ad<20000619 and content with management and download\$2 with (application code applet software agent)) and certificate) and user with list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 08:57
-	39	(((@ad<20000619 and content with management and download\$2 with (application code applet software agent)) and certificate) and user with list) not (((@ad<20000619 and content with management and download\$2 with (application code applet software agent)) and certificate) and user with list with (control restrict))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 09:02
-	21	@ad<20000619 and client and server and (applet agent) with download same user same list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 09:09
-	17	@ad<20000619 and client and server and (applet agent) with download with user same list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 09:09
-	1	@ad<20000619 and client and server and (applet agent) with download with user with autoriz\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 09:19

-	98	@ad<20000619 and client and server and download with user with authoriz\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 09:21
-	49	(@ad<20000619 and client and server and download with user with authoriz\$5) and certificate	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 09:21
-	47	((@ad<20000619 and client and server and download with user with authoriz\$5) and certificate) and signature	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 09:31
-	1	"6226743".PN.	USPÄT	2004/01/08 09:22
-	1	"6189097".PN.	USPAT	2004/01/08 09:23
-	1	"6170744".PN.	USPAT	2004/01/08 09:23
-	1	"6141752".PN.	USPAT	2004/01/08 09:23
-	144	713/165.ccls. and @ad<20000619	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/19 15:40
-	44	713/157.ccls. and @ad<20000619	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 09:33
-	8	(713/157.ccls. and @ad<20000619) and user with authoriz\$5	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 10:01
-	2	@ad<20000619 and (download\$4 retrieve\$4) with client with certificate same authoriz\$5 same (use execute run)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 11:12
-	53	@ad<20000619 and 713/173.ccls.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 11:15
-	275	@ad<20000619 and authoriz\$5 with signature with (program code application applet agent)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 11:16
-	19	@ad<20000619 and authoriz\$5 with signature with (program code application applet agent) same download\$2	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 11:20
-	308	@ad<20000619 and authoriz\$5 with user with signature	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 11:20
-	71	@ad<20000619 and authoriz\$5 with user with signature with (program code application applet agent)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 11:48
-	55	@ad<20000619 and trusted adj certificates	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 11:58

-	142	@ad<20000619 and novell and certificates	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 11:58
-	17	@ad<20000619 and novell and certificate with list	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 11:59
-	19236734	@ad<20000619	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/17 15:36
-	199	@ad<20000619 and certificate with list and user with list	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/17 15:39
-	142	(@ad<20000619 and certificate with list and user with list) and signature	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/17 15:39
-	96	@ad<20000619 and user near3 authoriz\$5 same (agent program application) same signature	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 15:49
-	12	@ad<20000619 and download\$5 near5 executable and user with authoriz\$6 same signature	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 15:07
-	94	@ad<20000619 and agent with client and signature and certificate	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 15:08
-	1	6304974.pn.	USPÄT; US-PGPUB; IBM TDB	2004/02/18 15:24
-	4	("6092194" "6098056" "6134327" "6154738").PN.	USPÄT	2004/02/18 15:26
-	1	6304974.URPN.	USPAT	2004/02/18 21:44
-	27	5825877.URPN.	USPAT	2004/02/18 15:27
-	45	@ad<20000619 and user with sign\$5 near3 authoriz\$6 with (program application agent applet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 20:31
-	7	@ad<20000619 and user with (sign\$5 not signal) near3 authoriz\$6 with (program application agent applet)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 15:51
-	219820	@ad<20000619 and document sign\$6 same authoriz\$6 with (view access\$3)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 20:32
-	26	@ad<20000619 and document near4 sign\$6 same authoriz\$6 with (view access\$3)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 20:41
-	19	@ad<20000619 and document near4 access same authoriz\$6 with (sign\$7)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 20:43

-	18	@ad<20000619 and (document object) near4 access same user same authoriz\$6 with (sign\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 20:51
-	96	@ad<20000619 and signed near2 object	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 20:51
-	16	@ad<20000619 and signed near2 object same (access\$2 execute@)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 21:02
-	161	@ad<20000619 and (verify authenticate) near3 user with signature and object	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 21:04
-	17	@ad<20000619 and (verify authenticate) near3 user with signature and object near3 sign\$7	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 21:07
-	17	@ad<20000619 and (verify authorize authenticate) near3 user with signature and object near3 sign\$7	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 21:08
-	216	@ad<20000619 and 713/185.ccls.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 22:08
-	91	(@ad<20000619 and 713/185.ccls.) and signature	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 21:08
-	9	("5214702" "5390247" "5448729" "5606609" "5615268" "5659616" "5748738" "5872848" "6185683").PN.	USPÄT	2004/02/18 21:10
-	6	@ad<20000619 and signature with match with execute	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 21:19
-	27	@ad<20000619 and signature with match\$3 with execute\$3	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 21:19
-	9	("4616327" "5036472" "5056029" "5146553" "5343527" "5450489" "5457746" "5460374" "5494445").PN.	USPÄT	2004/02/18 21:38
-	38	5494445.URPN.	USPAT	2004/02/18 21:38
-	1	6694434.pn.	USPAT	2004/02/18 21:45
-	0	6694434.URPN.	USPAT	2004/02/18 21:45
-	7	("5412717" "5638446" "5825877" "5892904" "5919257" "5944821" "6256393").PN.	USPAT	2004/02/18 21:45
-	99	@ad<20000619 and server with signs with client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 22:09
-	33	@ad<20000619 and server with signs with client same (object document program applet agent)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 22:10

-	8	@ad<20000619 and server near3 signs with client same (object document program applet agent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 22:11
-	227	@ad<20000619 and server near3 sign\$7 with client same (object document program applet agent)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 22:11
-	219	(@ad<20000619 and server near3 sign\$7 with client same (object document program applet agent)) not (@ad<20000619 and server near3 signs with client same (object document program applet agent))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 22:12
-	219	((@ad<20000619 and server near3 sign\$7 with client same (object document program applet agent)) not (@ad<20000619 and server near3 signs with client same (object document program applet agent))) not "sign on"	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 22:12
-	2	@ad<20000619 and signed near4 (agent applet) and acl near5 user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 15:41
-	7	@ad<20000619 and signature near4 (application agent applet) and acl near5 user	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 16:16
-	17	@ad<20000619 and (sign\$6 not signal) with (application agent applet) and ("access control list" acl) near5 user	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 16:15
-	19	@ad<20000619 and (sign\$6 not signal) with (application agent applet program) and ("access control list" acl) near5 user	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 16:15
-	19	@ad<20000619 and (sign\$6 not signal) with (application agent applet program) and ("access control list" acl) with user	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 16:15
-	2	(@ad<20000619 and (sign\$6 not signal) with (application agent applet program) and ("access control list" acl) with user) not (@ad<20000619 and (sign\$6 not signal) with (application agent applet) and ("access control list" acl) near5 user)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 16:15
-	207	@ad<20000619 and signature with (verify authentic\$5 autoriz\$6) and (acl "access control") with user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 16:19
-	104	@ad<20000619 and signature with (verify authentic\$5 autoriz\$6) same certificate and (acl "access control") with user	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 16:19
-	1	6694434.pn.	USPÄT; US-PGPUB; IBM_TDB	2004/02/19 16:53